

IN THE CLAIMS:

1 1. (currently amended) A method for presenting at least a part of a page, comprising:  
2 at least partially dividing at least one page into a plurality of ~~areas;~~ areas,  
3 ~~presenting said plurality of areas in a first representation,~~  
4 determining at least one area of said plurality of areas to be made an active  
5 area,  
6 making said at least one determined ~~area of said plurality of areas~~ an active  
7 ~~area;~~ area,  
8 presenting said plurality of areas in a first representation, and  
9 in response to a user operation on said at least one active area, presenting at  
10 least one of said at least one active areas in a second representation.

1 2. (Original) The method according to claim 1, wherein in said user operation, at least  
2 one of said at least one active areas is selected, and wherein at least said selected area  
3 is presented in said second representation.

1 3. (Original) The method according to claim 1, wherein at least two areas of said  
2 plurality of areas are made active areas.

1 4. (Original) The method according to claim 1, wherein said at least partial division of  
2 said at least one page into said plurality of areas is based on a structure of at least a  
3 part of said at least one page.

1 5. (Original) The method according to claim 1, wherein said at least partial division of  
2 said at least one page into said plurality of areas is based on a sectioning algorithm.

1 6. (Original) The method according to claim 1, wherein in said first representation, at  
2 least one area of said plurality of areas is scaled to a size that is smaller than the  
3 original size of said respective area.

1 7. (Original) The method according to claim 1, wherein in said first representation, at  
2 least one area of said plurality of areas is cropped.

1 8. (Original) The method according to claim 1, wherein in said first representation, at  
2 least one area of said plurality of areas is indicated by an icon.

1 9. (Original) The method according to claim 1, wherein areas of said plurality of areas  
2 with a size that is above a size threshold, or that contain an amount of information that  
3 is above an information threshold are made active areas, or both.

1 10. (Original) The method according to claim 1, wherein at least one of said at least  
2 one active areas is automatically focused, or selected according to a selection criterion,  
3 or both.

1 11. (Original) The method according to claim 1, wherein in said second representation,  
2 said at least one active area is scaled to a size that is larger than its size in said first  
3 representation.

1 12. (Original) The method according to claim 1, wherein within at least one of said  
2 areas presented in said first representation, elements can be directly selected by a user.

1 13. (currently amended) ~~A computer program with instructions operable to cause a~~  
2 ~~processor to perform the method steps of~~ The method according to claim 1, wherein  
3 said determining of said at least one area of said plurality of areas to be made an active  
4 area is performed automatically.

1 14. (currently amended) ~~A computer-readable medium-program product comprising~~  
2 having a computer program stored thereon, with instructions operable to cause a  
3 ~~processor to perform the method steps of claim 1~~ the computer program comprising:

4        instructions operable to cause a processor to at least partially divide at least  
5 one page into a plurality of areas;  
6        instructions operable to cause a processor to determine at least one area of said  
7 plurality of areas to be made an active area;  
8        instructions operable to cause a processor to make said at least one determined  
9 area an active area;  
10       instructions operable to cause a processor to present said plurality of areas in a  
11 first representation; and  
12       instructions operable to cause a processor, in response to a user operation on  
13 said at least one active area, to present at least one of said at least one active areas in a  
14 second representation.

1    15. (currently amended) A device for presenting at least a part of a page, comprising:  
2       means for at least partially dividing at least one page into a plurality of areas;  
3       ~~means for presenting said plurality of areas in a first representation;~~  
4       means for determining at least one area of said plurality of areas to be made an  
5 active area;  
6       means for making said at least one determined ~~area of said plurality of areas~~ an  
7 active area; ~~and~~  
8       means for presenting said plurality of areas in a first representation; and  
9       means for presenting at least one of said at least one active areas in a second  
10 representation in response to a user operation on said at least one active area.

1    16. (Original) The device according to claim 15, wherein said areas are presented on a  
2 display module, or on a display of a portable electronic device.

1    17. (currently amended) A system for presenting at least a part of a page, comprising:  
2       means for at least partially dividing at least one page into a plurality of areas;  
3       ~~means for presenting said plurality of areas in a first representation;~~  
4       means for determining at least one area of said plurality of areas to be made an  
5 active area;

6

7 means for making said at least one determined ~~area of said plurality of areas~~ an  
8 active area;

9 means for presenting said plurality of areas in a first representation, and

10 means for presenting at least one of said at least one active areas in a second  
11 representation in response to a user operation on said at least one active area.

1 18. (new) The system according to claim 17, wherein said determining of said at least  
2 one area of said plurality of areas to be made an active area is performed  
3 automatically.

1 19. (new) The device according to claim 15, wherein said determining of said at least  
2 one area of said plurality of areas to be made an active area is performed  
3 automatically.